



Diabolo Baby (technical specification)


J38711



1- **Galvanised, painted steel posts 70x70mm**, guaranteed long term durability.



2- **The 125mm diameter posts** are made of lacquered galvanised steel. The two-tone grey grained finish has a slightly undulating surface for increased scratch resistance.



3- **The coloured panels** are made from a 13mm thick compact material (HPL). Robust in construction, it has excellent weather and vandal resistance properties.



4- **The platforms and the steps** are made from a 12.5mm thick textured and non-slip compact material (HPL).




5- **The tubes** are made of 40mm diameter stainless steel, guaranteeing lasting durability and reliability of the equipment.



6- **Injection moulded polyamide fixings** connect the posts with the platforms and the various play features. They are non-toxic, flameproof and U.V. resistant. The thickness of the polyamide makes the equipment both strong and vandal resistant.



7- **The sliding surface** is made of 2mm thick stainless steel, which is shaped, bent and rolled from one piece.



8- **The dome** is made of 3mm polycarbonate sheets.



9- **The porthole** is made from 8mm thick methacrylate (PMMA).



10-**The tubes** are made of anodised aluminium, which is a rust-proof material, resistant to climate changes.



11-The **16mm diameter rope** is made of galvanised steel cable covered with polyester.



12-**The cables** are linked together and held in place by injected polyamide spheres.



13-**The abacus spheres** are made of soft, rotary moulded polyvinyl chloride.



14-Plastic parts are made of injected polyamide.



15-The fixings are made of stainless or plated steel and protected by anti-vandalism polyamide caps.